

# TESTOSTERONES PRIOR AUTHORIZATION REQUEST FORM



*OptumRx*  
 P.O. Box 25184  
 Santa Ana, CA, 92799  
 Phone: (800) 310-6826 Fax: (866) 940-7328



Today's Date

/ 
   /

**Note: This form must be completed by the prescribing provider.**

**\*\*All sections must be completed or the request will be returned\*\***

Patient's Medicaid # <input style="width: 100%;" type="text"/>	Date of Birth <input style="width: 20%;" type="text"/> / <input style="width: 20%;" type="text"/> / <input style="width: 40%;" type="text"/>
Patient's Name <input style="width: 100%;" type="text"/>	Prescriber's Name <input style="width: 100%;" type="text"/>
Prescriber's IN License # <input style="width: 100%;" type="text"/>	Specialty <input style="width: 100%;" type="text"/>
Prescriber's NPI # <input style="width: 100%;" type="text"/>	Prescriber's Signature <input style="width: 100%;" type="text"/>
Return Fax # <input style="width: 20%;" type="text"/> - <input style="width: 20%;" type="text"/> - <input style="width: 40%;" type="text"/>	Return Phone # <input style="width: 20%;" type="text"/> - <input style="width: 20%;" type="text"/> - <input style="width: 40%;" type="text"/>
Check box if requesting retro-active PA <input type="checkbox"/>	Date(s) of service requested for retro-active eligibility (if applicable): <input style="width: 100%;" type="text"/>

*Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).*

Requested Medication	Strength	Quantity	Dosage Regimen

**DEPO-TESTOSTERONE, TESTOSTERONE CYPIONATE**

**Initial Authorization:**

1. Please select one of the following:

- Member has a diagnosis of delayed puberty
- Member has a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required)

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_

\_\_\_\_\_

**Reauthorization:**

1. Total testosterone level is  $\leq$  1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

---

## TESTOSTERONE ENANTHATE

### Initial Authorization:

1. Please select one of the following:

- Member has a diagnosis of delayed puberty
- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

- Member has a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required)
- Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

- Member needs medication for palliative treatment of metastatic breast cancer

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

---

---

### Reauthorization:

1. Total testosterone level is  $\leq$  1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent (not required for palliative treatment of breast cancer) [reference PA criteria]?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

**AVEED, TESTOPEL PELLETT, XYSOTED**

**Initial Authorization:**

1. Please select one of the following:

- Member has a diagnosis of delayed puberty
  - Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

- Member has a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required)
  - Has the member had a previous trial and failure of ALL preferred injectable testosterone agents (reference PA criteria)?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Hypogonadal conditions not associated with structural or genetic etiologies (Xyosted ONLY)
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

---

---

**Reauthorization:**

1. Total testosterone level is  $\leq$ 1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Has the member had a previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)?  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

---

**ANDRODERM, TESTOSTERONE 1% (25 MG)/ 2.5 GM GEL PACKETS, TESTOSTERONE 1% (12.5 MG)/ACT GEL PUMP, TESTOSTERONE 1.62% (20.25 MG)/ACT METERED PUMP GEL, TESTIM 1% (50 MG)/5 GM GEL TUBES**

**Initial Authorization:**

1. Please select one of the following:

- Member is 16 years of age or older, has a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone **within the established quantity limits**

Requested dose: \_\_\_\_\_

- Member is 16 years of age or older, has a total testosterone level  $\leq$  400 ng/dL **while on topical testosterone therapy** (Documentation is required) and is requesting to **exceed established quantity limits**

Requested dose: \_\_\_\_\_

Member has utilized  $\geq$  14 days of topical testosterone therapy:  Yes  No

Name of medication: \_\_\_\_\_

Dose: \_\_\_\_\_

Start and End date: \_\_\_\_\_

If **no**, please provide medical justification as to why member is requesting a dose beyond established quantity limits:

\_\_\_\_\_  
\_\_\_\_\_

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

**Reauthorization:**

1. Total testosterone level is  $\leq$  1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

**Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits**

Requested dose: \_\_\_\_\_

**NATESTO, TESTOSTERONE 1% (50 MG)/5 GM GEL PACKETS/TUBES, TESTOSTERONE 1.62% (40.5 MG)/2.5 GM GEL PACKETS, TESTOSTERONE 1.62% (20.25 MG)/1.25 GM GEL PACKETS, TESTOSTERONE 2% (10 MG)/ACT METERED PUMP, TESTOSTERONE 30 MG/ACT SOLUTION, VOGELXO 1% (50 MG)/5 GM GEL PACKETS, VOGELXO 1% (12.5 MG)/ACT GEL PUMP**

**Initial Authorization:**

1. Please select one of the following:

- Member is 16 years of age or older, has a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required), and is requesting to use topical testosterone **within the established quantity limits**

Requested dose: \_\_\_\_\_

- Member is 16 years of age or older, has a total testosterone level  $\leq$  400 ng/dL **while on topical testosterone therapy** (Documentation is required) and is requesting to **exceed established quantity limits**

Requested dose: \_\_\_\_\_

Member has utilized  $\geq$  14 days of topical testosterone therapy:  Yes  No

Name of medication: \_\_\_\_\_

Dose: \_\_\_\_\_

Start and End date: \_\_\_\_\_

If **no**, please provide medical justification as to why member is requesting a dose beyond established quantity limits:

\_\_\_\_\_  
\_\_\_\_\_

2. Previous trial and failure of ALL preferred topical testosterone agents (reference PA criteria)  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:

\_\_\_\_\_  
\_\_\_\_\_

3. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

**Reauthorization:**

1. Total testosterone level is  $\leq$ 1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Previous trial and failure of at least ONE preferred topical testosterone agent  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred topical testosterone agents:

---

---

3. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

---

**Note: dose requested for reauthorization should not exceed established quantity limits unless member historically has been approved to exceed the established quantity limits**

Requested dose: \_\_\_\_\_

### DANOCRINE (DANAZOL):

#### Initial Authorization (approval up to 6 months):

1. Member diagnosis(es): \_\_\_\_\_

**Note: Approvable diagnoses include angioedema prophylaxis for heredity angioedema, autoimmune hemolytic anemia, discoid lupus erythematosus, endometriosis, fibrocystic breast disease, myelosclerosis with myeloid metaplasia**

2. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Active or history of thrombosis or thromboembolic disease
- Androgen-dependent tumor
- Cardiac disease
- Porphyria
- Pregnancy or breast-feeding
- Severe hepatic disease
- Severe renal disease
- Undiagnosed genital bleeding

If **no**, please specify contraindication and medical rationale for use:

---

---

#### Reauthorization (approval up to 6 months):

1. Documentation from prescriber indicating continued benefit from the medication without significant adverse events  Yes  No

2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

---

**JATENZO (TESTOSTERONE UNDECANOATE):**

**Initial Authorization:**

1. Member is 18 years of age or older and is requesting to use oral testosterone **within the established quantity limits**

Requested dose: \_\_\_\_\_  Yes  No

2. Member has a diagnosis of hypogonadism with a total testosterone level  $\leq$  350 ng/dL within the past 3 months (Documentation is required)  Yes  No

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

\_\_\_\_\_  
\_\_\_\_\_

4. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Hypogonadal conditions not associated with structural or genetic etiologies
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

**Reauthorization:**

1. Total testosterone level is  $\leq$  1000 ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

\_\_\_\_\_  
\_\_\_\_\_

**Note: dose requested for reauthorization should not exceed established quantity limits**

Requested dose: \_\_\_\_\_

**METHITEST (METHYLTESTOSTERONE)**

**Initial Authorization (approval up to 6 months):**

1. Please select one of the following:

- Member has a diagnosis of cryptorchidism
- Member has a diagnosis of delayed puberty
- Member has a diagnosis of hypogonadism (primary or hypogonadotropic) with a total testosterone  $\leq 350$  ng/dL within the past 3 months (Documentation is required)
- Member needs medication for palliative treatment of metastatic breast cancer

2. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)

- Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---

---

3. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer in a member assigned male at birth
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

---

---

4. Dose requested of methyltestosterone is **within the established quantity limits**

Requested dose: \_\_\_\_\_  Yes  No

**Reauthorization (approval up to 6 months):**

1. Please select one of the following:

- Member has a diagnosis of hypogonadism and a total testosterone level  $\leq 1000$  ng/dL within the past 6 months (Documentation is required)
- Member has a diagnosis of delayed puberty, palliative treatment of metastatic breast cancer, or cryptorchidism AND prescriber has submitted documentation indicating continued benefit from the medication without significant adverse events:

2. For **ALL** indications:

Provider attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

---

---

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)

- Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

---



**Note: dose requested for reauthorization should not exceed established quantity limits**

Requested dose: \_\_\_\_\_

**TLANDO (TESTOSTERONE UNDECANOATE)**

**Initial Authorization:**

1. Member is 18 years of age or older and is requesting to use oral testosterone **within the established quantity limits**

Requested dose: \_\_\_\_\_  Yes  No

2. Member has a diagnosis of hypogonadism and a total testosterone level  $\leq 350$  ng/dL within the past 3 months (Documentation is required)  Yes  No

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

\_\_\_\_\_  
\_\_\_\_\_

4. For **ALL** indications:

Provider attests that member has none of the following contraindications to therapy:  Yes  No

- Breast cancer
- Hypogonadal conditions not associated with structural or genetic etiologies
- Pregnancy
- Prostate cancer

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

**Reauthorization:**

1. Total testosterone level is  $\leq 1000$  ng/dL within the past 6 months (Documentation is required)  Yes  No

2. Prescriber attests that member remains a candidate for treatment, indicating that they have not developed any of the contraindication(s) listed under initial authorization above  Yes  No

If **no**, please specify contraindication and medical rationale for use:

\_\_\_\_\_  
\_\_\_\_\_

3. Previous trial and failure of at least ONE preferred injectable testosterone agent (reference PA criteria)  Yes  No

If **no**, please provide medical justification for use of requested agent over ALL preferred injectable testosterone agents:

\_\_\_\_\_  
\_\_\_\_\_

**Note: dose requested for reauthorization should not exceed established quantity limits**

Requested dose: \_\_\_\_\_

**CONFIDENTIAL INFORMATION**

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.